



ref. **1** Life 1 - Espace douche multifonctions à 2 portes battantes / Multi-function shower space with two curved pivoting sections



ref. **3** Life 3 - Paroi de douche multifonctions avec porte pivotante et 2 panneaux fixes / Multi-function shower cubicle with hinged door + 2 fixed panels

Life

hauteur paroi / *shower height*

200 cm


hauteur totale / *total height*

215 cm


crystal transparent / *clear glass*

8 mm

ref. **3** **Life 3** - Paroi de douche multifonctions avec porte pivotante et 2 panneaux fixes / *Multi-function shower cubicle with hinged door + 2 fixed panels*



Réversible / *Reversible*



Données techniques / *Technical drawings pag. 110.*

Code: **LIFE8314070-1B**= **LIFE8314070-** + **1** + **B**

Exemple de composition du code:

How to choose your product using the codes:

LIFE8314070-


1

B

Mesures Measurements (cm)	Passage Access (cm)	VERSION CROMOLIGHT* CHROMOLIGHT VERSION*			VERSION EASY* EASY VERSION*		
		Code	Verre / Glass	Profilé / Profile Prix / Price	Code	Verre / Glass	Profilé / Profile Prix / Price
		1		B	1		B
		Transparent Clear		Silver	Transparent Clear		Silver
138 x 69	67	LIFE8314070-			LIFE8314070E-		
148 x 69	67	LIFE8315070-			LIFE8315070E-		
158 x 69	67	LIFE8316070-			LIFE8316070E-		
168 x 69	67	LIFE8317070-			LIFE8317070E-		
178 x 69	67	LIFE8318070-			LIFE8318070E-		
138 x 74	67	LIFE8314075-			LIFE8314075E-		
148 x 74	67	LIFE8315075-			LIFE8315075E-		
158 x 74	67	LIFE8316075-			LIFE8316075E-		
168 x 74	67	LIFE8317075-			LIFE8317075E-		
178 x 74	67	LIFE8318075-			LIFE8318075E-		
138 x 79	67	LIFE8314080-			LIFE8314080E-		
148 x 79	67	LIFE8315080-			LIFE8315080E-		
158 x 79	67	LIFE8316080-			LIFE8316080E-		
168 x 79	67	LIFE8317080-			LIFE8317080E-		
178 x 79	67	LIFE8318080-			LIFE8318080E-		
138 x 89	67	LIFE8314090-			LIFE8314090E-		
148 x 89	67	LIFE8315090-			LIFE8315090E-		
158 x 89	67	LIFE8316090-			LIFE8316090E-		
168 x 89	67	LIFE8317090-			LIFE8317090E-		
178 x 89	67	LIFE8318090-			LIFE8318090E-		

*Caractéristique version Cromolight p. 108 / *Technical specifications for Cromolight version page 108.**Caractéristique version Easy: douche zénithale, douchette à main, siège / *Technical specifications for Easy version: fixed shower head, hand shower, folding seat.*

Finitions version cromolight / Features chromolight version




Cristal transparent
Clear glass




Silver

ref. **3** Life 3 - Paroi de douche multifonctions avec porte pivotante et 2 panneaux fixes / Multi-function shower cubicle with hinged door + 2 fixed panels




400 ≤ H ≤ 500

LIFE8314070-1B LIFE8314080-1B
LIFE8314075-1B LIFE8314090-1B




400 ≤ H ≤ 500

LIFE8315070-1B LIFE8315080-1B
LIFE8315075-1B LIFE8315090-1B




400 ≤ H ≤ 500

LIFE8316070-1B LIFE8316080-1B
LIFE8316075-1B LIFE8316090-1B



400 ≤ H ≤ 500

LIFE8317070-1B LIFE8317080-1B
LIFE8317075-1B LIFE8317090-1B



400 ≤ H ≤ 500

LIFE8318070-1B LIFE8318080-1B
LIFE8318075-1B LIFE8318090-1B

1 Raccordement hydraulique eau chaude pour robinetterie.

Hot water tap pipe connection.

2 Raccordement hydraulique eau froide pour robinetterie.

Cold water tap pipe connection.

3 Branchement électrique.

Electrical connection.

CARACTERISTIQUES HYDRAULIQUES

- Pression dynamique optimale 2÷5 bar
- Raccordement eau chaude 1/2"
- Raccordement eau froide 1/2"

CARACTERISTIQUES ELECTRIQUES

- 230 V
- 50 Hz
- Absorption maximale: 40 W

HYDRAULIC FEATURES

- Optimum dynamic pressure 2-5 bar
- 1/2" hot water connection
- Cold water connection 1/2"

ELECTRICAL FEATURES

- Supply voltage 230 V
- Frequency 50 Hz
- Maximum absorbed power: 40 W

En amont de l'appareil, installer un disjoncteur différentiel de 30 mA un coupe-circuit magnéto-thermique à déconnection omnipolaire distance d'ouverture ≥ 3 mm.

Install a 30 mA differential switch upstream of the unit. The switch should be fitted with a circuit breaker with minimum contact opening ≥ 3 mm.