



**NEXIS 1 A100x80/A120x80** Angolare asimmetrico / *Offset corner entry*




# Nexis 1

Vetro 8 mm temperato certificato  
Safety glass 8 mm complying  
with European Standards  
UNI EN 14428

Codice/Code: <b>NEXA120SM1-1KA</b>	=	<b>NEXA120SM1-1K</b>	+ <b>A</b>			
Esempio compilazione codice: How to choose your product using the codes:		<b>NEXA120SM1-1K</b>	<b>A</b>	<b>P</b>	<b>Q</b>	<b>T</b>

Miscelatore Mixer	Misure Measurements (cm)	*	Codice Code	Scelta finitura colore Chosen HPL finishing	Prezzo Price
----------------------	--------------------------------	---	----------------	--	-----------------


## Nexis 1 A120x80 - Cabina doccia con box angolare asimmetrico / Offset corner entry



VERSIONE HYDRO / HYDRO VERSION		A	P	Q	T
<b>SENZA TETTuccio / WITHOUT DOME</b>		bianco white	frassino ash	rovere sbianc. white oak	teak
MECCANICO MANUAL	120 x 80 x 206 H	h 8	S	NEXA120SM1-1K	
				D	NEXA120DM1-1K
	120 x 80 x 214 H	h 16	S	NEXA129SM1-1K	
				D	NEXA129DM1-1K
TERMOSTATICO THERMOSTATIC	120 x 80 x 206 H	h 8	S	NEXA120ST1-1K	
				D	NEXA120DT1-1K
	120 x 80 x 214 H	h 16	S	NEXA129ST1-1K	
				D	NEXA129DT1-1K

FINITURE: Sedile in HPL finitura legno reclinabile, Schienale in HPL finitura legno, Idromassaggio vert. orientabile, Doccia a mano in ottone cromato, Pedana in HPL finitura legno, Ripiano portaoggetti


FEATURES: Folding seat in leafy HPL with finish wood, Back in leafy HPL with finish wood, Adjustable vertical hydromassage, Shower hand in chromed brass, Shower tray base in leafy HPL with finish wood, Soap holders in leafy HPL with finish wood



CON TETTuccio E SOFFIONE / WITH DOME AND SHOWER HEAD		A	P	Q	T
<b>MECCANICO MANUAL</b>		bianco white	frassino ash	rovere sbianc. white oak	teak
	120 x 80 x 209 H	h 8	S	NEXA120SM1F-1K	
				D	NEXA120DM1F-1K
	120 x 80 x 217 H	h 16	S	NEXA129SM1F-1K	
				D	NEXA129DM1F-1K
TERMOSTATICO THERMOSTATIC	120 x 80 x 209 H	h 8	S	NEXA120ST1F-1K	
				D	NEXA120DT1F-1K
	120 x 80 x 217 H	h 16	S	NEXA129ST1F-1K	
				D	NEXA129DT1F-1K

FINITURE: Sedile in HPL finitura legno reclinabile, Schienale in HPL finitura legno, Idromassaggio vert. orientabile, Doccia a mano in ottone cromato, Pedana in HPL finitura legno, Ripiano portaoggetti finitura legno, Tettuccio in HPL finitura legno con soffione

FEATURES: Folding seat in leafy HPL with finish wood, Back in leafy HPL with finish wood, Adjustable vertical hydromassage, Shower hand in chromed brass, Shower tray base in leafy HPL with finish wood, Soap holders in leafy HPL with finish wood, Dome in HPL with shower head



VERSIONE PLUS / PLUS VERSION		A	P	Q	T
<b>CON TETTuccio - SAUNA E SOFFIONE / WITH DOME - STEAM GENERATOR AND SHOWER</b>		bianco white	frassino ash	rovere sbianc. white oak	teak
MECCANICO MANUAL	120 x 80 x 225 H	h 8	S	NEXA120SM5-1K	
				D	NEXA120DM5-1K
	120 x 80 x 233 H	h 16	S	NEXA129SM5-1K	
				D	NEXA129DM5-1K
TERMOSTATICO THERMOSTATIC	120 x 80 x 225 H	h 8	S	NEXA120ST5-1K	
				D	NEXA120DT5-1K
	120 x 80 x 233 H	h 16	S	NEXA129ST5-1K	
				D	NEXA129DT5-1K

FINITURE: Tettuccio in HPL finitura legno, Idromassaggio vert. orientabile, Soffione doccia, Doccia a mano in ottone cromato, Sedile in HPL finitura legno reclinabile, Schienale in HPL finitura legno, Ripiano portaoggetti finitura legno, Pedana in HPL finitura legno, Sauna plus (erogatore di vapore e dispenser di aromi, Radio FM RDS Stereo, presa aux per mp3, faretto Cromolight), Telecomando Touch Screen


FEATURES: Dome in leafy HPL with finish wood, Adjustable vertical hydromassage, Shower head, Shower hand in chromed brass, Folding seat in leafy HPL with finish wood, Back in leafy HPL with finish wood, Soap holders in leafy HPL with finish wood, Shower tray base in leafy HPL with finish wood, Sauna plus (steam and aroma dispenser, Radio FM RDS Stereo, MP3 AUX plug, Cromolight lamp), Touch screen remote control

\* altezza piatto / shower tray height.

Finiture pag. 18, dati tecnici pag. 23. / Features page 18, technical diagrams page 23.

## Dati tecnici / *Technical data*

### Vetri *Glass types*



Trasparente  
*Clear*

### Finitura Profili *Profile colours*



Cromo  
*Chrome*


### Laminato HPL finitura legno *Leafy HPL with finish wood*




bianco  
*white*



frassino  
*ash*



rovere sbiancato  
*white oak*




teak

Il laminato HPL è un materiale con una superficie molto resistente ai graffi, all'abrasione, all'acqua e al calore. Facile da pulire e quindi ideale per applicazioni dove l'igiene è essenziale, come nei bagni.

*The leafy HPL is a material with a very resistant surface to the scratches, to the abrasion, to the water and the heat.*

*The leafy HPL is easy to be cleaned and therefore ideal for applications where the hygiene is essential, as in the baths.*

### Finiture *Features*




Tettuccio in HPL finitura legno,  
Soffione doccia  
*Dome in leafy HPL with finish wood*



Idromassaggio vert. orientabile  
*Adjustable vertical hydromassage*



Sedile in HPL finitura legno  
reclinabile, Schienale in HPL  
finitura legno fissaggio magnetico  
*Folding seat in leafy HPL with  
finish wood, Back in leafy HPL with  
finish wood with magnetic fixing*



Doccia a mano in ottone cromato  
*Hand shower in chromed brass*



Telecomando Touch screen  
*Touch screen Remote Control*



Pedana in HPL finitura legno  
*Shower tray base in leafy HPL with  
finish wood*







Erogatore di vapore  
*Aroma dispenser*



Connessione MP3  
*MP3 Connection*



# NEXIS 1 A120x80

## PIATTO BASSO / LOW TRAY







**SINISTRA  
LEFT**

**DESTRA  
RIGHT**





## PIATTO ALTO / HIGH TRAY



**SINISTRA  
LEFT**

**DESTRA  
RIGHT**



<b>1</b> 1/2"		<b>2</b> 1/2"		<b>3</b> 		Piedino d'appoggio Support kit		± 10 mm
<b>A</b> 	<b>B</b> 	<b>C</b> 	<b>D</b> 	Zona a disposizione per allacci idraulici NON ISPEZIONABILE! Area for hydraulic connection NOT CONTROLLABLE!				

### CARATTERISTICHE IDRAULICHE

- Pressione dinamica ottimale 2÷5 bar
- Acqua calda 1/2"
- Acqua fredda 1/2"
- Allaccio sifone con raccordo Ø 40 mm

### HYDRAULIC CHARACTERISTIC

- Optimum dynamic pressure 2-5 bar
- 1/2" hot water connection
- Cold water connection 1/2"
- Siphon connection with 40 mm diameter coupling

### CARATTERISTICHE ELETTRICHE

- Tensione 220-230 V
- Frequenza 50/60 Hz
- Potenza massima assorbita: 3300 W
- Potenza nominale: 2500 W

### ELECTRICAL CHARACTERISTIC

- Supply voltage 220-230 V
- Frequency 50/60 Hz
- Maximum absorbed power: 3300 W
- Nominal power 2500 W