






Vasche
Bathtub

Sense 3

Sense 3

Vasca rettangolare / *Rectangular bathtub*

cm 190x80 capacità / *capacity* 265 lt.
 cm 180x80 capacità / *capacity* 250 lt.
 cm 170x75 capacità / *capacity* 225 lt.
 cm 170x70 capacità / *capacity* 205 lt.



Chaise longue

FINITURE DISPONIBILI / *FEATURES*



Disinfezione
Disinfectant system



Cromolight
Chromotherapy light



Telecomando
Touch screen remote control



Rubinetteria a bordo vasca
con cascata d'acqua
Bath mounted mixer



Connessione MP3
MP3 Connection

1 Poggiatesta bianco
in EVA impermeabile,
antibatterico e atossico
*1 white head rest in
EVA impermeable,
antibacterial and
nontoxic*



Airpool dorsali 6 jets
con bocchette in ottone
cromato
*Back airpool 6 nozzles
in chromed brass*



Airpool 10 jets con
bocchette in ottone
cromato
*Airpool 10 jets in
chromed brass*



Whirlpool 8 jets con
bocchette in ottone
cromato
*Whirlpool 8 jets in
chromed brass*

OPTIONAL




RUBINETTERIA
MECCANICA A
PAVIMENTO
*FLOOR
MOUNTED
BATHTUB FILLER*

KRUBVAS-K



KIT PIEDINI
REGOLABILI
PER VASCHE DA
INCASSO
*ADJUSTABLE
SUPPORT KIT
FOR BUILT-IN
ONLY*

PIEDVASCA70
PIEDVASCA75
PIEDVASCA80



TELECOMANDO TOUCH SCREEN

Comodo e intuitivo, gestisce in modo semplice tutte le funzioni della vasca. Ergonomico e waterproof, con un fissaggio invisibile e una lunga durata delle batterie.

TOUCH SCREEN REMOTE CONTROL

Discover the novelty of Novellini, the new Touch Screen remote control. Useful and intuitive, easily manage all the bathtub functions. Ergonomic and waterproof with an invisible fixing and life long batteries.

SEN517070T0-A1A

= **SEN517070T0**

+ **-A**

+ **-U**

+ **1**

+ **A**

Esempio compilazione codice:

How to choose your product using the codes:

Vasca Bathtub	Misure Measurements (cm)	Codice Code	Scelta finitura vasca / Chosen finish bath		Scelta struttura / Prezzo Chosen structure / Price					Scelta Pannelli in HPL Chosen HPL panels				
			lucido glossy	morbido soft	senza pannelli without panels	1 pannello 1 panel	2 pannelli 2 panels	3 pannelli 3 panels	4 pannelli 4 panels	bianco lucido white shiny	bianco morbido white soft	frassino ash	rovere sbiancato white oak	teak

VERSIONE HYDRO / HYDRO VERSION

CON TELAIO SHELL WITH FRAME	Misure Measurements (cm)	Codice Code	-A	-U	0	1	2	3	4	A	U	P	Q	T
					senza pannelli without panels	1 pannello 1 panel	2 pannelli 2 panels	3 pannelli 3 panels	4 pannelli 4 panels	bianco lucido white shiny	bianco morbido white soft	frassino ash	rovere sbiancato white oak	teak
	170 x 70 x 62 H	SEN517070T0												
	170 x 75 x 62 H	SEN517075T0												
	180 x 80 x 62 H	SEN518080T0												
	190 x 80 x 62 H	SEN519080T0												

FINITURE: Colonna di scarico, 8 Whirlpool, Disinfezione, Radio RDS Stereo con 2 diffusori, Presa AUX per MP3, Telecomando on/off, 1 poggiatesta bianco in EVA impermeabile, antibatterico e atossico. Funzioni Whirlpool: regolazione intensità elettronica, effetto modulante.

FEATURES: Waste column, 8 Whirlpool nozzles, Disinfection System, Radio RDS Stereo with 2 loudspeakers, MP3 AUX plug, on/off control, 1 white head rest in EVA impermeable, antibacterial and nontoxic. Whirlpool functions: electronic intensity control, modulation effect.

CON TELAIO + RUBINETTERIA SHELL WITH FRAME + MIXER	Misure Measurements (cm)	Codice Code	-A	-U	0	1	2	3	4	A	U	P	Q	T
					senza pannelli without panels	1 pannello 1 panel	2 pannelli 2 panels	3 pannelli 3 panels	4 pannelli 4 panels	bianco lucido white shiny	bianco morbido white soft	frassino ash	rovere sbiancato white oak	teak
	170 x 70 x 62 H	SEN517070T2												
	170 x 75 x 62 H	SEN517075T2												
	180 x 80 x 62 H	SEN518080T2												
	190 x 80 x 62 H	SEN519080T2												

FINITURE: Colonna di scarico, 8 Whirlpool, Rubinetteria a bordo vasca con cascata d'acqua, Disinfezione, Radio RDS Stereo con 2 diffusori, Presa AUX per MP3, Telecomando on/off, 1 poggiatesta bianco in EVA impermeabile, antibatterico e atossico. Funzioni Whirlpool: regolazione intensità elettronica, effetto modulante.

FEATURES: Waste column, 8 Whirlpool nozzles, Bath mounted mixer, Disinfection System, Radio RDS Stereo with 2 loudspeakers, MP3 AUX plug, on/off control, 1 white head rest in EVA impermeable, antibacterial and nontoxic. Whirlpool functions: electronic intensity control, modulation effect.

VERSIONE PLUS / VERSION PLUS

CON TELAIO SHELL WITH FRAME	Misure Measurements (cm)	Codice Code	-A	-U	0	1	2	3	4	A	U	P	Q	T
					senza pannelli without panels	1 pannello 1 panel	2 pannelli 2 panels	3 pannelli 3 panels	4 pannelli 4 panels	bianco lucido white shiny	bianco morbido white soft	frassino ash	rovere sbiancato white oak	teak
	170 x 70 x 62 H	SEN717070T6												
	170 x 75 x 62 H	SEN717075T6												
	180 x 80 x 62 H	SEN718080T6												
	190 x 80 x 62 H	SEN719080T6												

FINITURE: Colonna di scarico, 16 Airpool, 8 Whirlpool, Disinfezione, Cromolight, Radio RDS Stereo con 2 diffusori, Presa AUX per MP3, Telecomando Touch Screen, 1 poggiatesta bianco in EVA impermeabile, antibatterico e atossico. Funzioni Whirlpool: regolazione intensità elettronica, effetto modulante. Funzioni Airpool: air continuo oppure intermittente.


FEATURES: Waste column, 16 Airpool nozzles, 8 Whirlpool nozzles, Disinfection System, Chromo-light, Radio RDS Stereo with 2 loudspeakers, MP3 AUX plug, Touch screen remote control, 1 white head rest in EVA impermeable, antibacterial and nontoxic. Whirlpool functions: electronic intensity control, modulation effect. Airpool functions: Airpool non-stop or intermittent.

CON TELAIO + RUBINETTERIA SHELL WITH FRAME + MIXER	Misure Measurements (cm)	Codice Code	-A	-U	0	1	2	3	4	A	U	P	Q	T
					senza pannelli without panels	1 pannello 1 panel	2 pannelli 2 panels	3 pannelli 3 panels	4 pannelli 4 panels	bianco lucido white shiny	bianco morbido white soft	frassino ash	rovere sbiancato white oak	teak
	170 x 70 x 62 H	SEN717070T7												
	170 x 75 x 62 H	SEN717075T7												
	180 x 80 x 62 H	SEN718080T7												
	190 x 80 x 62 H	SEN719080T7												

FINITURE: Colonna di scarico, 16 Airpool, 8 Whirlpool, Rubinetteria a bordo vasca con cascata d'acqua, Disinfezione, Cromolight, Radio RDS Stereo con 2 diffusori, Presa AUX per MP3, Telecomando Touch Screen, 1 poggiatesta bianco in EVA impermeabile, antibatterico e atossico. Funzioni Whirlpool: regolazione intensità elettronica, effetto modulante. Funzioni Airpool: air continuo oppure intermittente.

FEATURES: Waste column, 16 Airpool nozzles, 8 Whirlpool nozzles, Bath mounted mixer, Disinfection System, Chromo-light, Radio RDS Stereo with 2 loudspeakers, MP3 AUX plug, Touch screen remote control, 1 white head rest in true impermeable skin, antibacterial and nontoxic. Whirlpool functions: electronic intensity control, modulation effect. Airpool functions: Airpool non-stop or intermittent.

OPTIONAL PANNELLATURA IN METACRILATO / OPTIONAL METHACRYLATE PANELS



	170 x 70	PAAVFSE170-A PAAVFSE170-U			PAAVFLSE177-A PAAVFLSE177-U	PAAVF2LSE177-A PAAVF2LSE177-U
	170 x 75	-	-		PAAVFLSE175-A PAAVFLSE175-U	PAAVF2LSE175-A PAAVF2LSE175-U
	180 x 80	PAAVFSE180-A PAAVFSE180-U			PAAVFLSE188-A PAAVFLSE188-U	PAAVF2LSE188-A PAAVF2LSE188-U
	190 x 80	PAAVFSE190-A PAAVFSE190-U			PAAVFLSE198-A PAAVFLSE198-U	PAAVF2LSE198-A PAAVF2LSE198-U

Dati tecnici vedi pag. 284-285.

For technical diagrams see page 284-285.



Sense 3 versione standard con rubinetteria / *standard version with mixer*

SEN218080-A1A

= **SEN218080**

+ **-A**

+ **1**

+ **A**

Esempio compilazione codice:

How to choose your product using the codes:

-A -U

0

1

2

3

4

A

U


P

Q


T

Vasca Bathtub	Misure Measurements (cm)	Codice Code	Scelta finitura vasca / Chosen finish bath		Scelta struttura / Prezzo Chosen structure / Price					Scelta Pannelli in HPL Chosen HPL panels				
			lucido glossy	morbido soft	senza pannelli without panels	1 pannello 1 panel	2 pannelli 2 panels	3 pannelli 3 panels	4 pannelli 4 panels	bianco lucido white shiny	bianco morbido white soft	frassino ash	rovere sbiancato white oak	teak

VERSIONE STANDARD / STANDARD VERSION

DA INCASSO BUILT-IN	170 x 70 x 62 H	SEN117070	-A	-U	da incasso / built-in 
	170 x 75 x 62 H	SEN117075			
	180 x 80 x 62 H	SEN118080			
	190 x 80 x 62 H	SEN119080			

FINITURE: 1 poggiatesta bianco in EVA impermeabile, antibatterico e atossico
 FEATURES: 1 white head rest in EVA impermeable, antibacterial and nontoxic

DA INCASSO + RUBINETTERIA BUILT-IN + MIXER	170 x 70 x 62 H	SEN1170702	-A0	-U0	da incasso / built-in 
	170 x 75 x 62 H	SEN1170752			
	180 x 80 x 62 H	SEN1180802			
	190 x 80 x 62 H	SEN1190802			

FINITURE: Colonna di scarico, Rubinetteria bordo vasca, 1 poggiatesta bianco in EVA impermeabile, antibatterico e atossico
 FEATURES: Waste column, Bath mounted mixer, 1 white head rest in EVA impermeable, antibacterial and nontoxic





CON TELAIO SHELL WITH FRAME	170 x 70 x 62 H	SEN217070	-A	-U	0	1	2	3	4	A	U	P	Q	T
	170 x 75 x 62 H	SEN217075			senza pannelli without panels	1 pannello 1 panel	2 pannelli 2 panels	3 pannelli 3 panels	4 pannelli 4 panels	bianco lucido white shiny	bianco morbido white soft	frassino ash	rovere sbiancato white oak	teak
	180 x 80 x 62 H	SEN218080												
	190 x 80 x 62 H	SEN219080												

FINITURE: Colonna di scarico, 1 poggiatesta bianco in EVA impermeabile, antibatterico e atossico
 FEATURES: Waste column, 1 white head rest in EVA impermeable, antibacterial and nontoxic

CON TELAIO + RUBINETTERIA SHELL WITH FRAME + MIXER	170 x 70 x 62 H	SEN2170702	-A	-U	0	1	2	3	4	A	U	P	Q	T
	170 x 75 x 62 H	SEN2170752			senza pannelli without panels	1 pannello 1 panel	2 pannelli 2 panels	3 pannelli 3 panels	4 pannelli 4 panels	bianco lucido white shiny	bianco morbido white soft	frassino ash	rovere sbiancato white oak	teak
	180 x 80 x 62 H	SEN2180802												
	190 x 80 x 62 H	SEN2190802												

FINITURE: Colonna di scarico, Rubinetteria bordo vasca, 1 poggiatesta bianco in EVA impermeabile, antibatterico e atossico
 FEATURES: Waste column, Bath mounted mixer, 1 white head rest in EVA impermeable, antibacterial and nontoxic

OPTIONAL PANNELLATURA IN METACRILATO / OPTIONAL METHACRYLATE PANELS

		1 pannello / 1 panel 	2 pannelli / 2 panels 	3 pannelli / 3 panels 
	170 x 70	PAAVFSE170-A PAAVFSE170-U	PAAVFLSE177-A PAAVFLSE177-U	PAAVF2LSE177-A PAAVF2LSE177-U
	170 x 75	-	PAAVFLSE175-A PAAVFLSE175-U	PAAVF2LSE175-A PAAVF2LSE175-U
	180 x 80	PAAVFSE180-A PAAVFSE180-U	PAAVFLSE188-A PAAVFLSE188-U	PAAVF2LSE188-A PAAVF2LSE188-U
	190 x 80	PAAVFSE190-A PAAVFSE190-U	PAAVFLSE198-A PAAVFLSE198-U	PAAVF2LSE198-A PAAVF2LSE198-U

OPTIONAL




KIT PIEDINI
REGOLABILI
PER VASCHE DA
INCASSO

PIEDVASCA70	ADJUSTABLE SUPPORT KIT FOR BUILT-IN ONLY
PIEDVASCA75	
PIEDVASCA80	



Dati tecnici vedi pag. 284-285.

For technical diagrams see page 284-285.

SENSE 3 170x70




in caso di allaccio a muro
in case of wall connection




in caso di allaccio a muro
in case of wall connection


in caso di allaccio a pavimento
in case of floor connection





in caso di vasca ad incasso
in case of shell for built-in installation



SENSE 3 170x75




in caso di allaccio a muro
in case of wall connection




in caso di allaccio a muro
in case of wall connection

in caso di allaccio a pavimento
in case of floor connection



in caso di vasca ad incasso
in case of shell for built-in installation



Installare a monte dell'apparecchio un interruttore differenziale da 30mA provvisto di interruttore onnipolare con apertura minima dei contatti ≥ 3 mm.
The whirlpool bath system must be fitted upstream with a 30 mA circuit breaker with a minimum contact of 3mm.

Disegni tecnici rubinetteria a pavimento pag. 102 / *Free standing mixer technical drawings pag. 102*

CARATTERISTICHE IDRAULICHE

- 8 bocchette whirlpool
- 10 bocchette airpool
- 6 bocchette airpool dorsale
- Allaccio sifone con raccordo 1 1/2"

CARATTERISTICHE ELETTRICHE

- Tensione 220-230 V
- Frequenza 50 Hz
- Potenza massima assorbita: whirlpool 880 W, airpool 900 W, whirlpool + airpool: 1800 W


HYDRAULIC CHARACTERISTICS

- 8 whirlpool nozzles
- 10 airpool nozzles
- 6 back airpool nozzles
- Siphon connection with 1 1/2" coupling



ELECTRICAL CHARACTERISTICS

- Supply voltage 220-230 V
- Frequency 50 Hz
- Maximum absorbed power: whirlpool 880 W, airpool 900 W, whirlpool + airpool: 1800 W


SENSE 3 180x80




in caso di allaccio a muro
in case of wall connection




in caso di allaccio a pavimento
in case of floor connection





in caso di vasca ad incasso
in case of shell for built-in installation




SENSE 3 190x80




in caso di allaccio a muro
in case of wall connection



in caso di allaccio a pavimento
in case of floor connection



in caso di vasca ad incasso
in case of shell for built-in installation



Installare a monte dell'apparecchio un interruttore differenziale da 30mA provvisto di interruttore onnipolare con apertura minima dei contatti ≥ 3 mm.
The whirlpool bath system must be fitted upstream with a 30 mA circuit breaker with a minimum contact of 3mm.

Disegni tecnici rubinetteria a pavimento pag. 102 / *Free standing mixer technical drawings pag. 102*

CARATTERISTICHE IDRAULICHE

- 8 bocchette whirlpool
- 10 bocchette airpool
- 6 bocchette airpool dorsale
- Allaccio sifone con raccordo 1 1/2"

CARATTERISTICHE ELETTRICHE

- Tensione 220-230 V
- Frequenza 50 Hz
- Potenza massima assorbita: whirlpool 880 W, airpool 900 W, whirlpool + airpool: 1800 W

HYDRAULIC CHARACTERISTICS

- 8 whirlpool nozzles
- 10 airpool nozzles
- 6 back airpool nozzles
- Siphon connection with 1 1/2" coupling

ELECTRICAL CHARACTERISTICS

- Supply voltage 220-230 V
- Frequency 50 Hz
- Maximum absorbed power: whirlpool 880 W, airpool 900 W, whirlpool + airpool: 1800 W