





LIFE

Life

Lifetime Guarantee

Life

shower screen height

200 cm


total height

215 cm

clear glass

8 mm

ref. **3** **Life 3** - Multi-function shower enclosure with hinged door + 2 fixed panels



Technical drawings pag. 80.

Code: **LIFE8314070-1B** = **LIFE8314070-** + **1** + **B**

How to choose your product using the codes:


LIFE8314070- **1** **B** **K**

Measurements (cm)	Access (cm)	Code	Glass			Profile colour / Price		
			1	B	K			
			Clear	Silver	Chrome			
138 x 69	67	LIFE8314070-						
148 x 69	67	LIFE8315070-						
158 x 69	67	LIFE8316070-						
168 x 69	67	LIFE8317070-						
178 x 69	67	LIFE8318070-						
138 x 74	67	LIFE8314075-						
148 x 74	67	LIFE8315075-						
158 x 74	67	LIFE8316075-						
168 x 74	67	LIFE8317075-						
178 x 74	67	LIFE8318075-						
138 x 79	67	LIFE8314080-						
148 x 79	67	LIFE8315080-						
158 x 79	67	LIFE8316080-						
168 x 79	67	LIFE8317080-						
178 x 79	67	LIFE8318080-						
138 x 89	67	LIFE8314090-						
148 x 89	67	LIFE8315090-						
158 x 89	67	LIFE8316090-						
168 x 89	67	LIFE8317090-						
178 x 89	67	LIFE8318090-						


LIFE

*Technical specifications for Chromo light version page 78.
 *Technical specifications for Easy version: fixed shower head, hand shower, folding seat.

Chromo light version features



Clear glass




Silver



Chrome


Technical drawings

ref. 1 Life 1 - Multi-function shower space with two curved pivoting sections



$400 \leq H \leq 500$


LIFE8115070-1B LIFE8115080-1B
 LIFE8115075-1B LIFE8115090-1B
 LIFE8115070-1K LIFE8115080-1K
 LIFE8115075-1K LIFE8115090-1K



$400 \leq H \leq 500$


LIFE8117070-1B LIFE8117080-1B
 LIFE8117075-1B LIFE8117090-1B
 LIFE8117070-1K LIFE8117080-1K
 LIFE8117075-1K LIFE8117090-1K

ref. 2 Life 2 - Multi-function shower screen with curved pivoting section




$400 \leq H \leq 500$

LIFE8214070-1B LIFE8214080-1B
 LIFE8214075-1B LIFE8214090-1B
 LIFE8214070-1K LIFE8214080-1K
 LIFE8214075-1K LIFE8214090-1K




$400 \leq H \leq 500$

LIFE8215070-1B LIFE8215080-1B
 LIFE8215075-1B LIFE8215090-1B
 LIFE8215070-1K LIFE8215080-1K
 LIFE8215075-1K LIFE8215090-1K




$400 \leq H \leq 500$

LIFE8216070-1B LIFE8216080-1B
 LIFE8216075-1B LIFE8216090-1B
 LIFE8216070-1K LIFE8216080-1K
 LIFE8216075-1K LIFE8216090-1K



$400 \leq H \leq 500$

LIFE8217070-1B LIFE8217080-1B
 LIFE8217075-1B LIFE8217090-1B
 LIFE8217070-1K LIFE8217080-1K
 LIFE8217075-1K LIFE8217090-1K




$400 \leq H \leq 500$

LIFE8218070-1B LIFE8218080-1B
 LIFE8218075-1B LIFE8218090-1B
 LIFE8218070-1K LIFE8218080-1K
 LIFE8218075-1K LIFE8218090-1K


Technical drawings

ref. **3** Life 3 - Multi-function shower enclosure with hinged door + 2 fixed panels




400 ≤ H ≤ 500

LIFE8314070-1B LIFE8314080-1B
 LIFE8314075-1B LIFE8314090-1B
 LIFE8314070-1K LIFE8314080-1K
 LIFE8314075-1K LIFE8314090-1K




400 ≤ H ≤ 500

LIFE8315070-1B LIFE8315080-1B
 LIFE8315075-1B LIFE8315090-1B
 LIFE8315070-1K LIFE8315080-1K
 LIFE8315075-1K LIFE8315090-1K




400 ≤ H ≤ 500

LIFE8316070-1B LIFE8316080-1B
 LIFE8316075-1B LIFE8316090-1B
 LIFE8316070-1K LIFE8316080-1K
 LIFE8316075-1K LIFE8316090-1K



400 ≤ H ≤ 500

LIFE8317070-1B LIFE8317080-1B
 LIFE8317075-1B LIFE8317090-1B
 LIFE8317070-1K LIFE8317080-1K
 LIFE8317075-1K LIFE8317090-1K



400 ≤ H ≤ 500

LIFE8318070-1B LIFE8318080-1B
 LIFE8318075-1B LIFE8318090-1B
 LIFE8318070-1K LIFE8318080-1K
 LIFE8318075-1K LIFE8318090-1K

- 1 Hot water tap pipe connection.
- 2 Cold water tap pipe connection.
- 3 Electrical connection.

HYDRAULIC FEATURES

- Optimum dynamic pressure 2-5 bar
- 1/2" hot water connection
- Cold water connection 1/2"

ELECTRICAL FEATURES

- Voltage 230 V
- Frequency 50 Hz
- Maximum absorbed power: 40 W

Install a 30 mA differential switch upstream of the unit. The switch should be fitted with a circuit breaker with minimum contact opening ≥ 3 mm.